

**IN THE CLAIMS**

Claims 6-11, 13-16 are pending; claims 12 and 18 having been previously canceled. Claims 1-5, 17, 19 and 20 are canceled herein.

1. - 5. (Canceled)

6. (Previously Amended) A pouch-type secondary battery unit, comprising:

a case comprising a case body having a plurality of spaces, each one of said plurality of spaces being spaced apart from each other by a predetermined distance, said case further comprising a case cover extending from a side of the case body and coupled with the case body to seal all the plurality of spaces, wherein the case cover is folded such that the spaces are stacked on top of each other;

a plurality of battery cells, each battery cell having a battery body and two electrode terminals, each battery body being disposed in respective ones of said plurality of spaces, each of said battery bodies having positive and negative electrode terminals extending outward through the case; and

a safety circuit board, disposed in an external void defined by the folding of the case cover, the safety circuit board being connected to each of said positive electrode terminals and the negative electrode terminals of each of said plurality of battery cells.

1           7. (Original) The battery unit of claim 6, wherein the case body comprises a flanged portion,  
2           the positive and negative electrode terminals extending through the flanged portion.

1           8. (Original) The battery unit of claim 6, wherein the positive electrode terminals of different  
2           battery cells in the battery unit are all aligned with each other and the negative electrode terminals  
3           of the different battery cells in the battery unit are all aligned with each other.

1           9. (Original) The battery unit of claim 6, wherein each of the battery bodies being helically  
2           wound positive and negative electrode plates.

1           10. (Previously Amended) A pouch type battery unit, comprising:  
2           a case comprising a case body and a cover, the case body being attached to the cover, said  
3           case body comprising a plurality of spaces;  
4           a plurality of battery bodies, each one being disposed in corresponding ones of said plurality  
5           of spaces, each of said battery bodies having two electrode terminals perforating said case body; and  
6           a safety device electrically connected to said terminals of said battery bodies, said case body  
7           having a flanged portion that mates with said cover, said safety device being disposed in between  
8           two separate sections of said flanged portion when said case is folded onto itself so that each of said  
9           plurality of battery bodies are stacked on top of each other.

1           11. (Original) The battery unit of claim 10, said cover of said case being folded onto itself  
2           so that each of said plurality of battery bodies are stacked on top of each other.

12. (Canceled)

1           13. (Original) The battery unit of claim 10, each of said plurality of battery bodies being  
2           comprised of electrode plates stacked on top of each other and not being wound.

1           14. (Original) The battery unit of claim 10, each of said plurality of battery bodies being  
2           comprised of electrode plates being helically wound.

1           15. (Original) The battery unit of claim 10, each of said plurality of battery bodies being  
2           electrically connected to each other in seriatim.

1           16. (Original) The battery unit of claim 10, each of said plurality of battery bodies being  
2           electrically connected to each other in parallel.

17-20. (Canceled)